

CERTIFICATE OF ANALYSIS



LABORATORY ANALYTICAL REPORT

Product Name	: High Stim Preworkout	Report No.	: LUH/AR/2026/000142
Flavour	: Blue Raspberry	Report Date	: 07-July-2026
Sample Type	: Preworkout Powder	Date of Analysis	: 04-July-2026 to 06-July-2026
Product	: Nutraceutical / Dietary	Client Name	: Brain Rush
Category	Supplement		
Batch No.	: LVBRPWBR-002	Client Address	: House no. 23 street no.1 paras estate,basti peer dad , jalandhar 144021
Mfg. Date	: 03-July-2026	Sample Quantity	: 100g (Approx.)
Expiry Date	: 03-Jan-2028	Sample	: Good / Intact Sealed Pack
		Condition	
		Sampling By	: Quality Control Department

RESULT SUMMARY

SR.NO	Test	Specification	Method	Result
1	Description	Free-flowing powder	Visual	Complies
2	Odor / Taste	Characteristic	Sensory	Complies
3	Solubility	Completely soluble in water	Visual	Complies
4	Assay- Caffeine Anhydrous	98.5 to 101.5%	HPLC	99.85%
5	Assay- Beta Alanine	98.7 to 100.6%	HPLC	99.92%
6	Assay-Taurine	98.5% to 100.5%	HPLC	99.78%
7	Assay-Arginine	99.0 to 101.0%	HPLC	99.89%
8	Assay- Choline Bitartrate	98.5% to 100.5%	HPLC	99.48%
9	Assay-Glycine	98.5-101.5%	HPLC	99.16%
10	Assay L-Citrulline DL Malate	99.0 to 101.0%	HPLC	99.50%
11	Assay-Vitamin B3	98.0-102.0%	HPLC	99.2%
12	Assay-Vitamin B6	98.0-102.0%	HPLC	100.1%
13	Assay-Black Pepper Extract	NLT 95.0%	HPLC	94.96%
14	Assay-Mucuna pruriens Extract	NLT 10.0%	HPLC	9.89%
15	Assay-Alpinia galanga Extract	NLT 5.0%	HPLC	4.92%



16	Assay-Alpha GPC 98%	NLT 98.0%	HPLC	98.6%
17	Assay-Creatine Monohydrate	99.5-102.0%	HPLC	99.8%
18	Moisture (LOD)	Not more than 5.0%	Moisture Analyzer	2.2%
19	pH	2.5 - 4.5	pH Meter	3.1
20	Heavy Metals Test Lead (Pb)	NMT 3.0 ppm	ICP-MS / AAS	0.15 ppm
21	Arsenic (As)	NMT 1.0 ppm	ICP-MS / AAS	0.01 ppm
22	Cadmium (Cd)	NMT 1.0 ppm	ICP-MS / AAS	0.02 ppm
23	Mercury (Hg)	NMT 1.0 ppm	ICP-MS / AAS	0.01 ppm
24	Stability	Meets claimed shelf life	Visual	Complies

QC APPROVED

Abbreviation:

NLT – Not Less Than, NMT – Not More Than, BLQ – Below Limit of Quantification

Prepared By: 

Reviewed By: 

Approved By: 

Declaration / Disclaimer :

This Certificate of Analysis (COA) is generated for internal quality control and product reference purposes only. The analytical values mentioned in this report are based on internal testing, batch evaluation, and available manufacturing data carried out under Nutro Life Science quality procedures.

This document:

- Is not intended for legal or regulatory submission purposes
- Shall not be treated as an NABL-accredited laboratory report
- Is not a government-certified analytical document
- Is issued solely for internal quality assurance, batch traceability, and customer reference
- May vary slightly depending upon sampling, storage, handling, and testing conditions

Nutro Life Science reserves the right to update, modify, or revise analytical data as per internal quality standards and batch requirements. For authenticity verification, please scan the QR code provided on this report.

